

SECTION 1: Identification

1.1. Product identifier	
Product Identity	AWS Brush Grade 220
Alternate Names	AWS Brush Grade 220
1.2. Relevant identified uses of the substance or mix	cture and uses advised against
Intended use	Coating for spray polyurethane foam.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	American WeatherStar, LLC.
	3100 Lees Lane
	Mobile, AL 36693

Emergency	
24 hour Emergency Telephone No.	INFOTRAC— (800) 535-5053
Customer Service: American WeatherStar, LLC.	800-771-6643

SECTION 2: Hazard(s) Identification

GHS Classification

Carcinogenicity:	Category 1A
our onrogornoncy.	Gutegory III

GHS Label Elements

NOK	

Danger

Hazard pictograms: Signal word:

Hazard statements:

May cause cancer.

Precautionary statements: **Prevention:**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood Wear permeation resistant protective gloves and clothing. Wear eye and face protection. **Response:** IF exposed or concerned: Get medical attention. **Storage:** Store locked up. **Disposal:** Dispose of contents and container in accordance with existing federal, state, and local environmental control laws.



SECTION 3: Composition/Information on Ingredients

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 24 % Hazardous Components

<u>Weight</u> Percent	<u>Components</u>	CAS-No.	<u>Classification</u>
1 - 5%	Titanium dioxide (Rutile)	13463-67-7	Carcinogenicity Category 2 Inhalation. Specific target organ toxicity – single exposure Category 3 Respiratory system.
0.1 - 1%	Crystalline Quartz Silica	14808-60-7	Acute toxicity Category 4 Oral. Carcinogenicity Category 1A. Specific target organ toxicity - repeated exposure Category 1 Lungs.

The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret.

SECTION 4: First Aid Measures

Most Important Symptom(s)/Effect(s)

Acute: Not expected to cause adverse acute health effect.

Eye Contact

In case of contact, flush eyes with plenty of lukewarm water. Get medical attention if irritation develops.

Skin Contact

In case of skin contact, wash affected areas with soap and water. Immediately remove contaminated clothing and shoes. Get medical attention if irritation develops and persists.

Inhalation

If inhaled, remove to fresh air. Get medical attention if irritation develops.

Ingestion

If ingested, do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

SECTION 5: Fire Fighting Meausres

Suitable Extinguishing Media: All extinguishing media are suitable.

Unsuitable Extinguishing Media No Data Available

Fire Fighting Procedure

Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes. Use cold water spray to cool fire-exposed containers to minimize the risk of rupture.

Hazardous Decomposition Products

By Thermal Decomposition: carbon monoxide, carbon dioxide, Acrylic monomers, other potentially toxic fumes



Unusual Fire/Explosion Hazards

Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

SECTION 6: Accidental release measures

Spill and Leak Procedures

Cleanup personnel must use appropriate personal protective equipment. Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal.

SECTION 7: Handling and Storage

Handling/Storage Precautions

Avoid breathing dust, vapor, or mist. Avoid contact with skin or clothing. Avoid contact with eyes. Use only with adequate ventilation/personal protection. Wash thoroughly after handling. Keep container closed when not in use. Protect from freezing.

Storage Period:

12 Months

Storage Temperature
Minimum:
Maximum:
Storage Conditions
None known

1 °C (33.8 °F) 49 °C (120.2 °F)

Substances to Avoid None known

SECTION 8: Exposure controls and personal protection

Titanium dioxide (Rutile) (13463-67-7)

- US. ACGIH Threshold Limit Values Time Weighted Average (TWA): 10 mg/m3
- US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Permissible exposure limit: 15 mg/m3 (Total dust.)
- US. ACGIH Threshold Limit Values Hazard Designation: Group A4 Not classifiable as a human carcinogen.

Crystalline Quartz Silica (14808-60-7)

- US. ACGIH Threshold Limit Values Time Weighted Average (TWA): 0.025 mg/m3 (Respirable fraction.)
- US. OSHA Table Z-3 (29 CFR 1910.1000)

Time Weighted Average (TWA): 2.4 millions of particles per cubic foot of air (Respirable.)The exposure limit is calculated from the equation, 250/(%SiO2+5), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.

US. OSHA Table Z-3 (29 CFR 1910.1000) Time Weighted Average (TWA): 0.1 mg/m3 (Respirable.)The exposure limit is



Safety Data Sheet AWS Brush Grade 220

SDS Revision Date: 05/27/2015

calculated from the equation, 10/(%SiO2+2), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Time Weighted Average (TWA): 0.3 mg/m3 (Total dust.)The exposure limit is calculated from the equation, 30/(%SiO2+2), using a value of 100% SiO2. Lower values of % SiO2 will give higher exposure limits.

US. ACGIH Threshold Limit Values Hazard Designation: Group A2 Suspected human carcinogen.

Any component which is listed in section 3 and is not listed in this section does not have a known ACGIH TLV, OSHA PEL or supplier recommended occupational exposure limit.

Industrial Hygiene/Ventilation Measures

When handling this product, ventilation of the work area is recommended...

Respiratory Protection

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit..

Hand Protection

Permeation resistant gloves, Neoprene gloves

Eye Protection

Chemical safety goggles or safety glasses with side-shields.

Skin Protection

Wear as appropriate, disposable one-piece overall with integral hood, impervious protective clothing.

Additional Protective Measures

Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product. Emergency showers and eye wash stations should be available.

SECTION 9: Physical and chemical properties

State of Matter:	liquid
Color:	Various
Odor:	Amine
Odor Threshold:	No Data Available
pH:	No Data Available
Boiling Point:	100 °C (212 °F) similar to water
Flash Point:	Not applicable (water based product), however, solid material will
	support combustion if water has been evaporated.
Evaporation Rate:	No Data Available
Lower Explosion Limit:	No Data Available
Upper Explosion Limit:	No Data Available
Vapor Pressure:	17 mmHg @ 20 °C (68 °F) similar to water
Vapor Density:	No Data Available
Density:	No Data Available
Relative Vapor Density:	No Data Available
Specific Gravity:	1.44
Solubility in Water:	No Data Available



Partition Coefficient: n-octanol/water: Auto-ignition Temperature: Decomposition Temperature: Dynamic Viscosity: Kinematic Viscosity: No Data Available No Data Available No Data Available No Data Available No Data Available

SECTION 10: Stability and reactivity

Hazardous Reactions Hazardous polymerization does not occur.

Stability Stable

Materials to Avoid None known.

Hazardous Decomposition Products

By Thermal Decomposition: carbon monoxide, carbon dioxide, Acrylic monomers, other potentially toxic fumes

SECTION 11: Toxicological information

Likely Routes of Exposure:	Skin Contact
	Eye Contact
	Inhalation

Health Effects and Symptoms Acute: Not expected to cause adverse acute health effects Chronic: May cause cancer.

Toxicity Data for EVERCOAT FG Brush

No data available for this product.

Toxicity Data for Titanium dioxide (Rutile) Acute Oral Toxicity LD50: > 5000 mg/kg (rat, female) (OECD Test Guideline 425)

Acute Inhalation Toxicity LC50: > 6.82 mg/l, 4 h (rat, male)

Acute Dermal Toxicity LD50: > 10000 mg/kg (rabbit)

Skin Irritation rabbit, OECD Test Guideline 404, Exposure Time: 24 h, Non-irritating

Eye Irritation rabbit, OECD Test Guideline 405, Non-irritating

Sensitization



SDS Revision Date: 05/27/2015

dermal: non-sensitizer (Guinea pig, Maximization Test) dermal: non-sensitizer (Human, Patch Test) Skin sensitization (local lymph node assay (LLNA)): negative (mouse, OECD Test Guideline 429)

Repeated Dose Toxicity

28 Days, inhalation: NOAEL: 35 mg/m3, (Rat)

29 days, Oral: NOAEL: 24,000 mg/kg, (rat, male, daily)

up to 2 years, inhalation: NOAEL: 0.01 mg/l, (Rat, male/female, 6 hrs/day 5 days/week)

Mutagenicity

Genetic Toxicity in Vitro: Ames: negative (Salmonella typhimurium, Metabolic Activation: with/without) Mammalian cell - gene mutation assay: negative (Mouse lymphoma cells (L5178Y/TK), Metabolic Activation: with/without) Chromosome aberration test: negative (Chinese hamster ovary (CHO) cells, Metabolic Activation: with/without)

Genetic Toxicity in Vivo: Drosophila SLRL test: negative (Drosophila melanogaster) negative

Cytogenetic assay: negative (mouse, male, intraperitoneal) negative

Carcinogenicity

Rat, Male/Female, inhalation, According to IARC, several rat inhalation and intratracheal installation studies using titanium dioxide have shown increases in benign and malignant lung tumors. Reviewed human exposure data did not suggest an association between occupational exposure to titanium dioxide and risk for cancer. Additionally, the IARC working group determined that, "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other material, suchr as in paints."

Other Relevant Toxicity Information

May cause irritation of respiratory tract.

Toxicity Data for Crystalline Quartz Silica

Acute Oral Toxicity LD50: 500 mg/kg (rat)

Mutagenicity

Genetic Toxicity in Vitro: Ames: Negative results were reported in various in vitro studies. (Salmonella typhimurium, Metabolic Activation: with/without)

Genetic Toxicity in Vivo:

Sister Chromatid Exchange: ambiguous (hamster) ambiguous

Carcinogenicity

rat, Male/Female, inhalation, 2 years, 6 hrs/day 5 days/week, positive

Carcinogenicity:

Titanium dioxide (Rutile)	IARC -	Overall evaluation:	2B Possibly carcinogenic to humans.
1,3-Benzenedicarbonitrile, 2,4,5,6-tetrachloro-	IARC -	Overall evaluation:	2B Possibly carcinogenic to humans.



Safety Data Sheet AWS Brush Grade 220

SDS Revision Date: 05/27/2015

Crystalline Quartz Silica

NTP- Hazard Designation:Known To Be Human Carcinogen.IARCOverall evaluation:1 Carcinogenic to humans.

SECTION 12: Ecological information

No data available for this product.

Ecological Data for Titanium dioxide (Rutile) Acute and Prolonged Toxicity to Fish

LC0: > 1,000 mg/l (Golden orfe (Leuciscus idus), 48 h)

Acute Toxicity to Aquatic Invertebrates

EC0: > 3 mg/l (Water flea (Daphnia magna))

Toxicity to Microorganisms

EC0: > 10,000 mg/l, (Pseudomonas fluorescens, 24 h

SECTION 13: Disposal Considerations

Waste Disposal Method

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

Container Precautions

Recondition or dispose of empty container in accordance with governmental regulations. Do not reuse empty container without proper cleaning.

SECTION 14: Transport Information

Land transport (DOT) Non-Regulated

Sea transport (IMDG) Non-Regulated

<u>Air transport (ICAO/IATA)</u> Non-Regulated

SECTION 15: Regulatory Information

United States Federal Regulations US. Toxic Substances Control Act: Listed on the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302) Components: None

SARA Section 311/312 Hazard Categories: Chronic Health Hazard

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components: None



Safety Data Sheet AWS Brush Grade 220

SDS Revision Date: 05/27/2015

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section

313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components:

1,3-Benzenedicarbonitrile, 2,4,5,6-tetrachloro-

US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes and Appendix VIII Hazardous Constituents (40 CFR 261):

Under RCRA, it is the responsibility of the person who generates a solid waste, as defined in 40 CFR 261.2, to determine if that waste is a hazardous waste.

State Right-To-Know Information

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:

Weight percent	Components	CAS-No.
35 - 45%	Limestone	1317-65-3
>=1%	Water	7732-18-5
>=1%	Acrylic Polymer	
5 – 10%	Titanium dioxide (Rutile)	13463-67-7

New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists:

Weight percent	Components	CAS-No.
0.1 - 1%	Ammonium Hydroxide	1336-21-6
0.1 - 1%	Aluminum Oxide	1344-28-1

Massachusetts Right to Know Extraordinarily Hazardous Substance List:

Weight percent	Components	CAS-No.
0.1 - 1%	Crystalline Quartz Silica	14808-60-7
<0.1%	Carbon Black	1333-86-4

California Prop. 65:

Warning! This product contains chemical(s) known to the State of California to be Carcinogenic.

Weight percent	Components	CAS-No.
0.1 - 1%	Crystalline Quartz Silica	14808-60-7
<0.1%	Carbon Black	1333-86-4

Based on information provided by our suppliers, this product is considered "DRC Conflict Free" as defined by the SEC Conflict Minerals Final Rule (Release No. 34-67716; File No. S7-40-10; Date: 2012-08-22).

SECTION 16: Other information

The method of hazard communication for American WeatherStar is comprised of Product Labels and Safety Data Sheets.

Contact:INFOTRACTelephone:(800) 535-5053Version Date:05/27/2015SDS Version:1.1

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of American WeatherStar. The information in this SDS relates only to the specific material designated herein. American WeatherStar assumes no legal responsibility for use of or reliance upon the information in this SDS.