

PRODUCT:	DESCRIPTION:	SUITABLE SURFACES:	PONDING APPROVED:
----------	--------------	--------------------	-------------------

ACRYLIC PRODUCTS			
ACRYLIC 211	100% acrylic elastomeric coating for all roof substrates. Contains rust inhibitors and algaecides, making it ideal in the extreme cold. Its elongation and tensile strength both increase at lower temperatures.	Metal, Mod Bit, Single-Ply, SPF, Smooth/ Granulated BUR	No
HIGH-TENSILE ACRYLIC 211	Technologically advanced, high-solids, acrylic elastomeric uniquely formulated with high tensile strength and elongation properties. It is our best acrylic coating for color retention on custom tint projects.	Metal, Mod Bit, Single-Ply, SPF, BUR	No
HIGH-GLOSS ACRYLIC 215	High-Gloss Acrylic 215 is a high-gloss, single-component, water-based, flexible PVDC coating for spray application. It is designed to be a low-build protective coating that provides unsurpassed weathering, abrasion resistance, colorfastness, and dirt pick-up resistance.	Metal	No
ACRYLIC BRUSH-GRADE 220	100% acrylic elastomeric caulk used to bridge gaps in flashing, seams, fasteners and penetrations.	Metal, Mod Bit, Single-Ply, SPF, BUR	No
ACRYLIC BUTTER-GRADE 221	100% acrylic elastomeric caulk used to bridge gaps in flashing, seams, fasteners and penetrations. Whipped and thicker than Brush Grade 220.	Metal, Mod Bit, Single-Ply, SPF, BUR	No
ACRYLIC FLASHING-GRADE 222	100% acrylic, high solids, elastomeric sealant. It is manufactured from a unique acrylic resin specifically designed to provide increased tensile strength and elongation.	Metal, Mod Bit, Single-Ply, SPF, BUR	No
ACRYLIC SKYLIGHT SEALER 230	An elastomeric coating is to be used as a skylight sealer to stop the degradation of the skylights.	Skylights	NA

BUTYL PRODUCTS			
BUTYL COATING 310	This spray-applied, vapor retardant polymer provides a durable, seamless waterproofing that resists cracking and allows for normal expansion.	Metal, Mod Bit, Single-Ply, BUR	Yes*
BUTYL BRUSH-GRADE 320	Single component, brush-able grade, seam sealer specially formulated to provide a waterproof, weather resistant membrane with excellent permeability and ultra-violet protection. Specifically formulated to be a less viscous than the Butyl Flashing Grade 321.	Metal, Mod Bit, Single-Ply, BUR	Yes*

SILICONE PRODUCTS			
SILICONE 410	A single component, elastomeric air-dry silicone rubber coating designed for top coating many types of roof substrates.	SPF, Single-Ply, AWS Fabric Systems	Yes*
HIGH-SOLIDS SILICONE 412	Single component, 95% solids, elastomeric, waterproofing, moisture-curing coating.	SPF, Single-Ply, Mod Bit, BUR, AWS Fabric Systems	Yes*
SILICONE WALK PATH 415	Single-component, moisture curing, silicone rubber coating system designed to enhance the impact resistance and also provide a non-skid walking surface when used with Walk Path Granules 1100.	SPF, Single-Ply, Mod Bit, BUR, AWS Fabric Systems	Yes*
SILICONE BRUSH-GRADE 422	Ready-to-use, high solids, single component moisture cured silicone mastic designed for waterproofing penetrations, curbs, seams, and other flashings areas.	SPF, Single-Ply, Mod Bit, BUR, AWS Fabric Systems	Yes*

*When applied at appropriate thickness

URETHANE PRODUCTS			
ALIPHATIC URETHANE 510	Technologically advanced, white, high solids, single component, moisture-cure elastomer coating. Once cured, this moisture-curing polymer provides a durable, seamless, flexible, waterproof membrane that resists lateral movement.	SPF, Single-Ply, Concrete, Mod Bit, BUR, AWS Fabric Systems	Yes*
AROMATIC URETHANE 520	Technologically advanced, high solids, single component, moisture-cure elastomer coating. Once cured this liquid applied moisture-curing polymer provides a durable, seamless, flexible, waterproof membrane that resists lateral movement.	SPF, Single-Ply, Concrete, Mod Bit, BUR, AWS Fabric Systems	Yes*
URETHANE BRUSH-GRADE 522	High solids, single component, moisture cure coating uniquely formulated to a thicker consistency than the Urethane 520 in order to bridge gaps for water-proofing situations.	SPF, Single-Ply, Concrete, Mod Bit, BUR, AWS Fabric Systems	Yes*

SPECIALTY PRODUCTS			
TERMINATOR 622	A technologically advanced, 100% solids, moisture cure sealant/adhesive. This high-strength versatile product has excellent elasticity and adhesion, making it ideal for repairs. Designed for industrial use, it can be applied to most surfaces even when the area is wet. Not only is it waterproof, it is UV stable and low VOC.	All roofing substrates and materials, including silicone.	NA

PRIMERS			
ACRYLIC BONDING PRIMER 905	A durable water-based primer suitable for priming most roofing substrates before applying the top coat. Not meant to be a rust primer, use Rust Prime 910 or 912 for any rusted surfaces.	Metal, Mod Bit, BUR	NA
RED OXIDE RUST PRIME 912	A high-quality corrosion resistant acrylic red oxide primer. Developed to adhere to difficult metal substrates and good flash rust and corrosion resistance over carbon steel.	Metal	NA
COLOR PRIME 915	Color Prime 915 is a high-quality, rust-inhibitive, water-based, low VOC primer specifically designed for coating applications. It provides an optimal surface for the application of fluoropolymer topcoats.	Metal	NA
ECO CLEANER 925	Unique, high-performance, and environmentally friendly cleaner. Its biodegradable formulation meets all US VOC regulations, including the most stringent Southern California regulations.	Single-Ply, EPDM	NA
FABRIC BOND 930	Designed to be a bonding agent to secure polyester fabric to roof surfaces. Can also be used as a primer on most substrates to ensure adhesion.	Metal, Mod Bit, Single-Ply, SPF, BUR	NA
CLEAR PRIME 9000	Clear Prime 9000 provides an excellent sealer for concrete or masonry surfaces. It will improve adhesion of coating systems and reduce excess usage of top coat materials allowing them to remain on the surface for maximum protection.	Concrete, Masonry	NA

WALL COATINGS			
ACRYLIC WALL COAT 2000	Acrylic Wall Coat 2000 is a high-quality, plasticizer-free, single component, water-based, 100% acrylic elastomeric wall coating for spray, brush, or roller application. It has excellent tensile and elongation that contribute to a durable and long-lasting membrane with good resistance to weathering.	Wood, Masonry, Galvanized Metal	NA
HIGH-PERFORMANCE ELASTOMERIC WALL COAT 2100	Elastomeric Wall Coat 2100 is a high-performance, plasticizer-free, single-component, water-based, 100% acrylic elastomeric wall coating for spray, brush, or roller application.	Wood, Masonry, Galvanized Metal	NA
DTM 3000	DTM 3000 is a low VOC, fast-drying, corrosion and UV resistant, water-based, acrylic wall coating specifically formulated for direct application to metal surfaces.	Metal	NA

ACCESSORIES			
ROOFING GRANULES	#11 Grade Roofing Granules are colored with durable pigments, bonded in a ceramic matrix and treated to promote adhesion to asphalt.	Used with AWS systems	NA
NON-FIBERED ASPHALT EMULSION	Non-Fibered Asphalt Emulsion is a premium, cold-applied protective coating that resists moisture and levels irregularities in roof surfaces to provide a monolithic foundation for most AWS fluid-applied systems.	Mod Bit, BUR	NA
MICROFIBERS 1000	Finely manufactured high-tensile polyethylene fiber used as a general thickener for AWS acrylics, urethanes and silicones.	NA	NA
WALK PATH GRANULES 1100	Designed to enhance the impact resistance of the roof surface and also provide a non-skid walking surface.	Used with Silicone Walk Path 415	NA
NON-WOVEN FABRIC	Spun-laced fabric is a textile material composed of staple fibers hydraulically entangled to form a strong reinforcing membrane for roof coatings.	Used with AWS systems	NA
SEAM TAPE	A pressure sensitive seam sealing tape with Dupont Sontara® Fabric backing bonded onto 20 mils of Butyl Rubber adhesive.	Metal, Single-Ply, EPDM	NA
RULE 66 MINERAL SPIRITS	Mineral spirits are best used with silicone roof coatings.	Used with Silicone	NA
XYLENE	Xylene is best suited to clean urethane and butyl roof coatings equipment.	Used with Urethane, Butyl	NA

*When applied at appropriate thickness